

Nature's Eight product highlights

Base coat and top coat system

Penetrating, protective base stains, with complementary translucent topcoats, provide extended protection against weathering, UV degradation, mould and fungal attack.

High clarity

Translucent bespoke resin systems feature exceptional clarity, allowing the natural features and figuring of the underlying timber to shine through.

Suitable for most timber substrates

Can be applied to most common hardwood and softwood species: Pine, Sapele, Iroko, Oak, and to laminated and modified timbers.

External and internal protection

Natures's Eight colours are available for both external and internal joinery: windows, internal and external doors, staircases, bespoke kitchens, and timber cladding.

Quick drying

Drying and over coating in around 4 hours.

Environmentally sensitive

Teknos joinery coatings, in keeping with our Scandinavian legacy, are water based, with VOC levels significantly below current and proposed legislative levels, and free of all heavy metal additives.

Commitment to quality

All Teknos factories have quality and environmental management systems, certified in accordance with ISO 9001 and ISO 14001. Our Industrial Wood coatings production plant, in Denmark, also holds an EMAS certificate.



Brushing water based paints

The short drying time and reduced flow of modern water-based paints requires a different technique to achieve a good brush finish, but following a few simple hints will produce excellent results.

- The quality of the brush is very important, long haired synthetic brushes will give the best results. Dampen the bristles, with fresh water, before starting to paint.
- Avoid short haired or worn brushes, which may leave lines in the dry film.
- The viscosity of the paint will affect the ease of application. The product can normally be applied directly from the tin, but additional thinning with around 5% of fresh water may improve the flow and levelling in warmer weather or in heated rooms.

For best results follow three simple steps:

- Load the paint generously onto the surface and disperse the paint briskly.
- Finish the application with light brush strokes in the direction of the grain.
- Level out the coating with light diagonal cross strokes, **do not over brush**, the coating will flow and level naturally.

Paint with Pride
SONK



About Teknos

Teknos is one of Europe's largest family owned businesses and a major supplier of joinery and other specialist coatings. Its technical leadership in joinery protection is founded on sustained levels of R&D expenditure and a strong concern for the environment.

Teknos UK and Ireland

Teknos has three service centres, located at Swerford, near Banbury, Livingstone and Belfast, and provides expertise and delivery services throughout the British Isles.

For further Information and assistance, please contact your local centre.



Teknos UK Limited

Heath Farm
Banbury Road
Swerford
Oxfordshire OX7 4BN
Tel. +44 (0) 1608 683 494
sales@teknos.co.uk

Teknos Ireland Limited

Fortwilliam Industrial Estate
Dargan Crescent
Belfast BT3 9JP
Tel. +44 (0) 2890 960670
sales.ni@teknos.co.uk

Teknos Scotland Limited

Nettlehill Road
Houston Industrial Estate
Livingston EH54 5DL
Tel. +44 (0) 1506 436222
sales.scotland@teknos.co.uk

www.teknos.co.uk



Nature's Eight



Paint with Pride

Nature's Eight

Nature's Eight is a collection of our most popular translucent shades. The base stain and topcoat system offers exceptional clarity and durability, enhancing and protecting the natural definition and beauty of the timber.

These water based systems combine our Teak base stain with flexible, breathable topcoats. Teknos Nature's Eight system is durable, environmentally sympathetic, and minimises the cracking and peeling associated with traditional solvent based stains.

This colour chart demonstrates how the natural colouring of six popular timber species will be reflected and enhanced by your Nature's Eight colour choice.

Interior Use

For internal applications, use Aqua Primer 2900 Teak base stain together with one of the Nature's Eight Aquacoat 2650 translucent colours. Available in 30% Semi Matt or 70% Gloss.

Exterior Use

On external joinery use Aqua Primer 2900 Teak base stain with Aquatop 2600 microporous topcoat in one of the Nature's Eight translucent shades. Available in 20% Semi Matt or 40% Semi Gloss.

Important Note

Although we make every effort to match the colours on this card as closely as possible to the stain, due to limitations in the printing process we cannot guarantee an exact replication of colour.

System Colour Choice

All colours use 2900 Teak base stain combined with either Aquacoat 2650 for interior use or Aquatop 2600 for exterior use.

Light Oak

NE 01

Maple

NE 02

Medium Oak

NE 03

Teak

NE 04

Antique Oak

NE 05

Nemasu

NE 06

Special
Mahogany
045

NE 07

Walnut

NE 08

Accoya



NE 01




NE 02




NE 03




NE 04




NE 05



NE 06



NE 07



NE 08

Redwood



NE 01



NE 02



NE 03



NE 04




NE 05



NE 06



NE 07



NE 08

Idigbo




NE 01




NE 02




NE 03




NE 04




NE 05



NE 06



NE 07



NE 08


Sapele




NE 01




NE 02




NE 03




NE 04




NE 05



NE 06



NE 07



NE 08

Iroko



NE 01




NE 02




NE 03




NE 04




NE 05



NE 06



NE 07



NE 08

Teak




NE 01




NE 02



NE 03



NE 04



NE 05



NE 06



NE 07



NE 08